


INDEX MAPS.

T. 3N R. 4W 2nd Mer.

Monday 332

T.4 N R.4 W 2nd Mer.

	353	353	352-353	352-354	352-354	352-354						
355	6	361	5	360	4	358	3	357	2	355	1	351
	362		361		360		358		357		355	
354	7	361	8	360	9	358	10	362	11	356	12	351
350		347		347-361		360		359		362		356
	346		361		359		362		356			
350	18	346	17	345	16		15	357	14	356	13	351
	343		344-346		344-345		344-345		344-357		357	351
									357			
349	19	343	20	342	21	342	22	341	23	341	24	348
	340		340-345		340-342		340-342		340-341		340	
349	30	339	29	337	28	336	27	335	26	334	25	348
	339		338		337		336		334		333	
348	31	338	32	336	33	335	34	334	35	333	36	347
	339		338		336		335		334		333	

 The figures on the lines refer to the page.

Township N. 4. Range N. 4 West of the 2nd Mer. Sec 9

ch. 2. Un.

West

40.00

On the South Boundary of Sec. 36. T. N. 4. R. N. 4 W.

Set a post for the cor. off 1/4 Sec. from which

W Oak. 10 in. dist. bears S 33 E. 17 links dish; 1 a,

W Oak. 16 " " " N 60 W 27 " "

80.00

Set a post for the cor. off Sec. 35 & 36. from which

W Oak. 10 in. dist. bears N 18 E. 37 links dish; 1 a,

do. 12 " " " S 11 W 52 " "

This mile is generally broken; rough hills; some thickets of Bush, Birch; Timber Oak, Grains descend East

North

Return Sec. 35 & 36 T. N. 4. R. N. 4 W.

17.00

Iron Brook. 10 links wide, Course East

26.00

" " W Oak. 15 in. dist. stands in the line

40.00

Set a post for the cor. off 1/4 Sec. from which

Log mode 8 in. dist. bears S 37 E. 29 links dish; 1 a,

W Oak. 12 " " " N 70 W 48 " "

80.00

Set a post for the cor. off Sec. 25, 26, 35 & 36 On a barren hill covered with Grape vines & briars.

No bearing trees to be found

This mile is mostly broken land; with thickets of Bush & Birch Some oak timber

East

On a Random line between Sec. 25 & 36 T. N. 4. R. N. 4 W.

80.60

Intersect the N. 35 line at the first cor. off Sec. 25 & 36

On the East Range line.

West

On the true line between Sec. 25 & 36. T. N. 4. R. N. 4 W.

17.00

Iron Brook 15 links wide Course S 43 E.

40.30

Set a post at the av. dist on the true line for the cor.

of 1/4 Sec. from which

W Oak. 10 in. dist. bears S 60 E. 29 links dish; 1 a,

do 7 " " " S 48 W 37 " "

T. N^o 4. N. R. N^o 4 W. 2nd Mer. Ind.

80.60 To the first cor. of sec. 25, 26, 35, & 36.
This mile is broken land thin soil; Thickets of brush
and Brins; and some Oak. Timber

North Return Sec. 25 & 26 T. N^o 4. N. R. N^o 4 W.

40.00 Set a post for the cor. of 24 sec. in a thicket of brins
No bearing trees in sight;

62.01 To a Brook 10 miles wide, Course E.

80.00 Set a mile post on a Barren Hill for the cor. of sec.
23, 24, 25 & 26. From thicket

W. Oak. 5 in diam brins S. 70 E. 93. with one 1/2 ft
No 4 " " " S. 108 E. 100 " "

This mile is mostly barren hilly land. Oak
Timber on the West part. Jan'y 8. 1865.

West On the South Boundry of Sec. 35. T. N^o 4. N. R. N^o 4 W.

40.00 Set the 24 sec. post in a thicket of Brush & Brins
no bearing trees to be found.

80.00 Set a post for the cor. of sec. 34 & 35. On a barren
hill; no bearing trees to be found;

This mile is a continuous thicket of Hazle & Brins
no timber in sight;

North Return Sec. 34 & 35 T. N^o 4. N. R. N^o 4 W.

40.00 Set a post for the cor. of 24 sec. on a barren hill.
No timber in sight; Spots of wild grass & grape
vines

80.00 Set a post for the cor. of sec. 34 & 35 no timber
in sight; generally thickets of brins; Spots of
Grape vines

East On a Random line between Sec. 26 & 35. T. N^o 4. R. 4 W.

80.00 Continued the N. 15° line 70 miles South of the

East cor. of sec. 25. 26. 35 & 36.

West On the line line between sec. 26. & 35 T. N^o 4. N. R. N^o 4 W.
 36.00 Look North. 10 inch wide, Course S 20 E.
 40.00 Set apart for the cor. of 1/4 Sec. from which
 W Oak 11 in. diam. here. S 67 W. 38 inch wide; 1 in,
 1 Co. 12 " " " S 60 E. 40 " "
 80.00 To the East cor. of sec. 26. 27. 34 & 35.
 This mile is mostly barren hills. Some oak timber
 at the half mile point on the creek.

North Between sec. 26 & 27 T. N^o 4. N. R. N^o 4 W.
 40.00 Set apart in a thickets of briars; No trace to be found
 80.00 Set apart for the cor. of sec. 22. 23. 26. 27. from a bar-
 ren hills; mostly covered with wild grass.

West On the South Boundary of sec. 34. T. N^o 4. N. R. N^o 4 W.
 40.00 Set apart for the cor. of 1/4 Sec. on a barren hill.
 no timber Brins & wild grass.
 80.00 Set apart for the cor. of sec. 33 & 34 from which
 W Oak. 15 in. diam. here. S 60 E. 55 inch wide; 1 in,
 1 Co. 16 " " " N 20 W. 60 " "
 Just 70 ch^s of this mile barren lands; no timber.
 Last 10 " W. Oak. Timber 1 thin set.

North Between sec. 33 & 34 T. N^o 4. N. R. N^o 4 W.
 17.00 Cross timbered lands; into barren; appears to be
 extensive
 40.00 Set apart for the cor. of 1/4 Sec. in barren lands; some
 brush & briars; mostly wild grass.
 80.00 Set apart for the cor. of sec. 27. 28. 33 & 34 in barren
 lands; no timber to be found. Some thickets of Ka-
 yla bushes. mostly wild grass. Jan 10. 1805

T. N^o 4. N.R. N^o 4 W. 2nd. Mer. Sud^y

East	On a random line between Sec. 27 & 34 T. N ^o 4. N.R. N ^o 4 W.
81.00	Intersected the N & S line at the spot cor. of Sec. 26, 27, 34 & 35.
West	On the same line between Sec. 27 & 34 T. N ^o 4. N.R. N ^o 4 W.
40.50	Set apart for the cor. of $\frac{1}{4}$ Sec. on barren lands no timber to be found.
81.00	To the spot cor. of Sec. 27, 28, 33 & 34 This mile is rough barren hills; "not timber" in sight mostly thickets of Bush & Grass;
North	Between Sec. 27 & 28 T. N ^o 4. N.R. N ^o 4 W.
40.00	Set apart for the cor. of $\frac{1}{4}$ Sec. on barren lands; no bearing trees to be found;
80.00	Set apart for the cor. of Sec. 21, 22, 27 & 28. on barren lands no bearings to be found; Some thickets of Grass & Hard Bush, mostly mild grass.
West	On the South Corner of Sec. 33 T. N ^o 4. N.R. N ^o 4 W.
40.00	Set apart for the cor. of $\frac{1}{4}$ Sec. from which is W Oak 11 in diam. bears N 30 W. 22 links dist; 12 R Oak 8 " " " N 70 E. 58 " "
64.00	To a corner 100 links wide; Corner S 20 W.
80.00	Set apart for the cor. of Sec. 32 & 33. from which is W Oak 17 in diam. bears S 4 W. 12 links dist; 12 White R " " " N 4 E. 22 " "
	The S & 30 ch ^s of this mile is barren land; Timber W & B Oak, Hard Soil;
North	Between Sec. 32 & 33. T. N ^o 4. N.R. N ^o 4 W.
23.00	To a B. Oak 12 in diam. stands in the line.
40.00	Set apart for the cor. of $\frac{1}{4}$ Sec. from which is

	W Oak 10 in. dia. beams. S60 E. 29 links dist; 1 in. Lb 16 " " " S51 W. 43 " "
47.10	Loak Brook 20 links wide, Corner S20 E.
80.00	Set a post for the cor. of sec. 28. 29. 32. 133 from which W Oak 20 in. dia. beams. S63 E. 35 links dist; 1 in. Gum 15 " " " N21 W. 42 " "
	This mile is mostly bad lands; Timber Oak & Gum.
East	On a Meridian line between Sec 28 133 T. N. 4. N. R. 4 W.
80.70	Intersected the N13 line 31 links S. of the post cor. of sec. 27. 28 33. 134
West	On the true line between Sec 28 133 T. N. 4. N. R. 4 W.
28.00	Loak Brook 90 links wide, Corner S20 W.
40.00	Set a post for the cor. of 1/4 sec. from which Hickory 16 in. dia. beams. N10 E. 31 links dist; 1 in. Buck 9 " " " S16 W. 10 " "
50.10	Loak Gum 18 in. dia. stands in the line.
80.00	Set the post cor. of sec. 28. 29. 32. 133. This mile is rich bad lands; Timber Oak, Hickory & Gum. Jan 9 10 1885.
North	Between Sec 28 129 T. N. 4. N. R. 4 W.
37.00	Loak Brook 10 links wide, Corner E.
40.00	Set a post for the cor. of 1/4 sec. from which Gum 12 in. dia. beams. S81 E. 38 links dist; 1 in. W Oak 18 " " " S60 W. 24 " "
48.00	Loak Oak 27 in. dia. beams in the line.
62.23	" " Brook 8 links wide, Corner E.
80.00	Set a post for the cor. of sec. 20. 21 28-129 from which W Oak 18 in. dia. beams. N39 E. 27 links dist; 1 in. W. Oak 7 " " " S31 W. 6 " "
	This mile mostly good land; Timber Oak & Hickory

T. N^o 4. N.R. N^o 4 W. 2nd Mer. Sec.

West	On the South Boundary line. 30. T. N ^o 4. N.R. N ^o 4 W.
40.00	Set apart for the cor. off $\frac{1}{4}$ sec. from which a W. Oak. 16 in diam. trees S 47 ^o 9' 10" W. 12' 10" E. 10' 10" W. Maple. 22" " " S 70 ^o E 10' 10" "
41.70	Trab Brook. 20 miles wide, Course S 20 ^o E.
80.00	Set apart for the cor. off sec. 31. 32 from which a W. Oak. 17 in diam. trees S 47 ^o 12' 10" W. 12' 10" E. 13' 10" W. Hick 10' 10" " " S 40 ^o E. 13' 10" "
	This mile is rich level land; Timber W. Oak. & Buck.
North	Between Sec. 31 & 32 T. N ^o 4. N.R. N ^o 4 W.
9.28	Log Hick 12 in diam. stands in the line.
40.00	Set apart for the cor. off $\frac{1}{4}$ sec. from which a Hick 28 in diam. trees S 97 ^o 22' 10" W. 22' 10" E. 19' 10" W. Do. 12' 10" " " S 9 ^o E. 19' 10" "
51.22	Trab Brook. 8 miles wide, Course E.
80.00	Set apart for the cor. off sec. 29. 30, 31, 32 from which a Oak. 16 in diam. trees S 11 ^o E. 47 ^o 10' 10" W. 12' 10" E. 13' 10" W. Do 17' 10" " " S 107 ^o 182' 10" "
	This mile is good upland; Timber Oak, Hick & Gum.
East	On the line between Sec. 29 & 30 T. N ^o 4. N.R. N ^o 4 W.
80.00	Intersect the N & S line at the point off sec. 28. 29. 31 & 30.
West	On the line between Sec. 29 & 30 T. N ^o 4. N.R. N ^o 4 W.
40.00	Set apart for the cor. off $\frac{1}{4}$ sec. from which a Logwood 6 in diam. trees S 60 ^o E. 72' 10" W. 12' 10" E. 13' 10" W. W. Oak. 12' 10" " " S 30 ^o 78' 10" "
62.80	Trab Brook. 20 miles wide, Course S.
80.00	To the first cor. off sec. 20. 29. 31 & 30 This mile is generally good upland. Timber W. Oak & Buck.

T. N. 4. N. R. N. 4. T. 2nd Mer. Ind.

West	On the South Boundary of sec. 31 T. N. 4. N. R. N. 4. T.
40.00	Set a post for the cor. of 74 sec. from which a Logmoose 6 mi. dist. bears N 40° W. 30 links dist; 1 st Gum. 16 " " " S 60° E. 10 " "
49.20	Intersect the West Boundary at the first cor. of sec. 16. 31.136 T. N. 3 & 4 N. R. N. 4 & 5 W. This mile is hard repland; Timber Oak, Hickory, Gum, 1 st
West	Between Sec. 30 & 31 T. N. 4. N. R. N. 4. T.
40.00	Set a post for the cor. of 74 sec. from which a Buck 12 mi. dist. bears N 9° W. 19 links dist; 1 st Hickory 15 " " " N 70° E. 28 " "
49.00	Intersect the N & S line 10 links N. of the Post on off sec. 25 136. in T. N. 4. N. R. N. 5 W. and set a post for the cor. of sec. 30 & 31 from which a Hickory 16 mi. dist. bears N 47° W. 30 links dist; 1 st Logmoose 10 " " " N 44° W. 40 " " This mile is mostly hard repland; Timber Buck, Oak, Hickory; Jan. 7 11. 1805.
North	Between Sec. 29 & 30 T. N. 4. N. R. N. 4. T.
10.00	To a Hickory 15 mi. dist. stands in the line.
40.00	Set a post for the cor. of 74 sec. from which a Gum. 12 mi. dist. bears N 32° W. 47 links dist; 1 st Hickory 17 " " " S 3° E. 60 " "
57.36	To a Brook 12 links wide, corner S 60° E.
62.70	" " Hickory 10 mi. dist. stands in the line
80.00	Set a post for the cor. of sec. 19, 20, 29 & 30 from which B. Oak 18 mi. dist. bears N 18° E. 20 links dist; 1 st Hickory 15 " " " S 16° W. 47 " " This mile is broken land; some bottom on the creek; mostly Oak, Hickory; Timber Jan. 12 th 1805.

T. N. 4. N. R. N. 4 W. 2nd Mer. Sec.

West	Return Sub. 19830 T. N. 4. N. R. N. 4 W.
40.00	Set apart for the cor. of Sec. 24 & 25. from which a "Kick 12 in and bears North. 27 links dist; 12 Buck. 10 " " " S. E. 36 " "
49.00	Look Brook. 7 links wide, Course S.
49.80	Intersect the West Boundary 10 links N. of the post on of sec. 24 & 25. T. N. 4. N. R. N. 5 W. and set apart for the cor. of sec. 19830 from which a "Kick 113 in and bears S. 82 W. 29 links dist; 12 Dogwoods 8 " " " N. 22 E. 14 " "
	This mile is good upland; mostly Oak, Timber.
East	On a Random line between Sec. 20 & 29. T. N. 4. N. R. 3 W.
79.00	Intersected the N. & S. line at the post for the cor. of Sec. 20. 21. 28. & 29.
East	On a Random line between Sec. 21 & 28. T. N. 4. N. R. 4 W.
80.00	Intersected the N. & South line 28 links S. of the post cor. of Sec. 21. 22. 27. & 28.
East	On a Random line between Sec. 22 & 27. T. N. 4. N. R. 4 W.
81.00	Intersected the N. & S. line 36 links N. of the post for the cor. of Sec. 22. 23. 26. & 27.
East	On a Random line between Sec. 23 & 26. T. N. 4. N. R. 4 W.
80.00	Intersected the N. & S. line 30 links S. of the post for the cor. of Sec. 23. 24. 25. & 26.
East	On a Random line between Sec. 24 & 25. T. N. 4. N. R. 4 W.
80.00	Intersect the E. Range line at the post for the cor. of Sec. 24. & 25. on the Range line.
West	On the true line between Sec. 24 & 25. T. N. 4. N. R. 4 W.

T. N. 4. N. R. N. 4. N. 2nd Mer. Ind.

40.00 Set a post for the cor. of 1/4 Sec. from which a
B. Oak 12. in. diam. bears S. 70. E. 39. links. dist. 80
" Sec. 15. " " " S. 40. W. 27. " "
67.30 To a Brook 12. links. wide; course S. 30. E.
80.00 To the post cor. of Secs. 23. 24. 25. & 26. T. N. 4. N. R. 4. W.
The 1st 1/2 of this mile is broken land. thin soil; Oak timber
last 1/2 mostly thickets of brush and briars

North Return Secs. 23 & 24 T. N. 4. N. R. N. 4. W.
10.00 To a W. Oak 13 in. diam. stands in the tree.
18.27 To a Brook 8 links wide, course S. 35. E.
40.00 Set a post for the cor. of 1/4 Sec. from which a
W. Oak 10 in. diam. bears N. 60. E. 37 links dist; 80
Sec. 12 " " " N. 48. W. 4 " "
80.00 Enter the N. Boundary line of Harrison's pur-
chase and set a post for the cor. of Secs. 23. & 24 from
which a W. Oak 8 in. diam. bears North 30 links dist; 80
Sec. 10 " " " S. 80. W. 18. "
Land on this mile broken & thin soil; Timber Oak,

West Return Secs. 23. & 26. T. N. 4. N. R. N. 4. W.
40.00 Set a post for the cor. of 1/4 Sec. from which a
W. Oak 10 in. diam. bears N. 78. W. 60 links dist; 80
Sec. 12 " " " S. 60. E. 37 " "
71.00 To a Brook 8 links wide, course S. 30. E.
80.00 To the post cor. of Secs. 22, 23, 26 & 27
This mile is level upland; thin soil; mostly Oak.

North Return Secs. 22, & 23. T. N. 4. N. R. N. 4. W.
40.00 Set a post for the cor. of 1/4 Sec. in a thicket of brush
and briars; no bearing to be found.
80.00 Set a post for the cor. of Secs. 14. 15. 22 & 23 from which
On a barren hill no trees in sight.

T. N. 4. N. R. N. 4 W. 2nd Mer. Sec. 2.

This mile is mostly barren lands; no timber.
Some thickets of Bush & Brins.

West On the line between Sec. 22 & 27 T. N. 4 N. R. N. 4 W.
40.50 Set a post for the cor. of 1/4 sec. in a thicket of Bush
& Brins. Nothing was to be found;
81.00 To the post cor. of sec. 21, 22, 27 & 28.
This mile is barren lands; no timber. Thin soil
thickets of Bush & Brins;

North Between Sec. 21 & 22 T. N. 4. N. R. N. 4 W.
30.00 To a Brook. 1/2 mile wide, corner S 45 W.
40.00 Set a post for the cor. of 1/4 sec. from which a
Beech. 19 in diam. bears S 65 E. 47 links north; 12
Hickory 10 " " " S 40 W. 68 " "
65.50 To a Hickory 12 in diam. stands in the line.
80.00 Set a post for the cor. of sec. 15, 16, 21 & 22 from which a
Sugar. 16 in diam. bears N 61 W. 62 links north; 12
Beech. 10 " " " N 56 E. 27 " "
This mile is mostly good uplands. Timber Beech,
Sugar Oak, Hickory &c.

West On the line between Sec. 21 & 28 T. N. 4 N. R. N. 4 W.
28.20 To a Brook 1/5 mile wide, corner S.
40.00 Set a post for the cor. of 1/4 sec. from which a
Beech. 12 in diam. bears N 77 E. 47 links north; 12
Sugar. 11 " " " N 30 W. 17 " "
80.00 To the post cor. of sec. 20, 21, 28 & 29
Lands mostly bar; Timber Beech, Sugar, Oak, Hickory
&c.
Jan. 14. 1805

North Between Sec. 20 & 21 T. N. 4. N. R. N. 4 W.
36.18 To a Brook. 8 links wide, corner E.

T. N^o 4 N.R. N^o 4 W. 2nd Mer. Sec.

4000	Get a post for the cor. of 14 Sec. from which a Heck 12 in diam. beam. 482 E. 30 links north; 1 st , 2 nd 10 " " " 120 W. 22 " "
8000	Get a post for the cor. of Sec. 16, 17, 20 & 21 from which beam 20 in diam. beam. N 87 W. 17 links north; 1 st , Heck 13 " " " 15 E. 21 " " This note is good uplands; Timber 1 st 2 nd Oak, 1 st 2 nd
West	Between Sec. 20 & 29 T. N ^o 4. N.R. N ^o 4 W. 2 nd Mer.
4000	Get a post for the cor. of 14 Sec. from which a Heck 12 in diam. beam. N 64 E. 12 links north; 1 st , 2 nd 10 " " " N 70 W. 16 " "
62.00	Trak Brook. 17 links wide, Conoco S.
8000	Get a post for the cor. of Sec. 19, 20, 29 & 30 Sandy flat, mostly N Oak, Timber. Soil of medium quality.
North	Between Sec. 19 & 20 T. N ^o 4. N.R. N ^o 4 W.
4000	Get a post for the cor. of 14 Sec. from which a N Oak 10 in diam. beam. 438 E. 3 links north; 1 st , Logan Co " " 440 W. 40 " "
50.67	Trak Brook. 10 links wide, Conoco S.
8000	Get a post for the cor. of Sec. 17, 18, 19 & 20 on a barren land; not a tree to be found; This note is mostly barren land; Some Oak, Timber. 1 st 2 nd mile barren land; 1 st 2 nd 3 rd 4 th 5 th 6 th 7 th 8 th 9 th 10 th 11 th 12 th 13 th 14 th 15 th 16 th 17 th 18 th 19 th 20 th 21 st 22 nd 23 rd 24 th 25 th 26 th 27 th 28 th 29 th 30 th
West	Between Sec. 18 & 19 T. N ^o 4. N.R. N ^o 4 W.
4000	Get a post for the cor. of 14 Sec. from which one N Oak 10 in diam. beam. 460 E. 10 links north; 1 st , 2 nd 7 " " " 20 W. 90 " "
8000	Intersect the West Boundary 16 links N. of the post cor. of Sec. 13 & 24 T. N ^o 4. N.R. N ^o 5 W. land set

T. N. 4. N. R. N. 4. N. 2nd Mer. Ind.

Set apart for the cor. of sec. 18 & 19 from which a
W. Oak. 7 in diam. trees N 45 E. 20 miles west; 1st
On 8 " " " S 45 E. 30 " "
This mile is mostly barren lands; thin soil; some
Oak. timber;

East On a Random line between Sec. 17, 120 & N. 4. N. R. 4th
80.00 Intersect the N & S line 60 miles S. of the post cor. of sec.
16 & 17 20 & 21.

East On a Random line between Sec. 16 & 21. T. N. 4. N. R. 4th
81.00 Intersect the N & S line at the post cor. of sec. 15, 16.
21 & 22.

East On a Random line between Sec. 15, 122 T. N. 4. N. R. 4th
80.60 Intersect the N & S line 38 miles S. of the post cor. of
sec. 14, 15, 22 & 23.

East On a Random line between Sec. 14 & 23. T. N. 4. N. R. 4th
80.00 Intersect the N & S line at the post cor. of sec. 13, 14, 23 & 24
On the N. Boundary line of ^{Winchester} ~~Heavens~~ tract.

West On a true line between Sec. 14 & 23. T. N. 4. N. R. 4th
40.00 Set apart for the cor. of 14 sec. from which a
W. Oak. 10 in diam. trees N 38 E. 37 miles west; 1st
On 12 " " " S 37 E. 10 " "
80.00 To the post cor. of sec. 14, 15, 22, & 23
Land within mile is broken mostly barrens; some
Oak. timber; thin soil; Saw. 7/14. 1805.

North Between Sec. 14 & 15 T. N. 4. N. R. N. 4th
27.00 Intersected the N. Boundary line of Heavens' Purchase
and set apart for the cor. of sec. 14 & 15 from

T. N. 4. N. R. N. 4. W. 2nd Mer. Ind.

which a W Oak. 10 in dia. trunks. Seco E. 18 links each;
and a B Oak. 8 " " " N 40 W. 34 " "
Sands thin soil; Timber Oak, and a thin.

West On the line between Sec. 15 & 22 T. N. 4. N. R. N. 4. W.
33.26 To a Brook. 50 links wide, Seco E.
40.30 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
W Oak. 10 in dia. trunks. South 21 links each; & a
Oregon 12 " " " S 20 W. 30 " "
80.60 To the first cor. of Sec. 15, 16, 21, & 22
This mile is mostly broken lands; Timber mostly Oak;
some bottom on the creek.

North Between Sec. 15 & 16 T. N. 4. N. R. N. 4. W.
20.00 Set a post for the cor. of $\frac{1}{4}$ Sec. in barren lands; no timber
53.00 Intersected the N Boundary line of Cameron's
Purchase. and set a post for the cor. of Sec. 15 & 16, from
which a Hickory 20 in dia. trunks. S 8 E. 28 links each
and a Seco E. of " " " N 27 W. 38 " "
This mile is broken lands; mostly barren's some spots
of Oak. timber

West Return Sec. 16 & 21 T. N. 4. N. R. N. 4. W. Line line.
30.00 To a Brook. 17 links wide, Seco E.
40.50 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
W Oak. 5 in dia. trunks. N 20 E. 30 links each; &
This post set in a thick of Birch, no other trees.
81.00 To a post cor. of Sec. 16, 17, & 20 & 21.
This mile is thin barren lands; no timber;

North Between Sec. 16 & 17 T. N. 4. N. R. N. 4. W.
40.00 Set a post for the cor. of $\frac{1}{4}$ Sec. in barren lands,
no timber in sight

T. N^o 4. N.R. N^o 4. W. 2nd Mer. Ind.

80.00 Enter at the N. Boundary line of Kansas. Purchase in a thick of Bush. no trees to be found.
This mile is barren land; no timber.

West On the true line between Sec. 17. & 20 T. N^o 4. N.R. N^o 4 W.

40.00 Set apart for the cor. of 1/4 Sec. in barren land; no timber in sight;

58.00 To a Brook. 12 links wide, comes S.

80.00 To the post cor. of Sec. 17. 18. 19. & 20

This mile is mostly broken land; no timber; some bottom on the creek, some spots of Oak timber.

North Return Sec. 17. & 18. T. N^o 4. N.R. N^o 4 W.

40.00 Set apart for the cor. of 1/4 Sec. no timber near.

68.50 To a Brook. 10 links wide, comes S. & E.

80.00 Set apart for the cor. of Sec. of S. 17. & 18 from which a
W. Oak. 10 in. diam. trees. N 11 W. 70 links west; 100
W. Oak. 8 in. " " N 60 E. 100 " "

This mile is mostly barren; some Oak timber at the mile post. This mile;

West Between Sec. of 18. T. N^o 4. N.R. N^o 4 W.

40.00 Set apart for the cor. of 1/4 Sec. from which a
W. Oak. 10 in. diam. trees. S 32 E. 20 links west; 100
Co. 3 " " " N 44 W. 24 " "

80.00 Enter at the N. 20 links N. of the post cor. of Sec. 12. & 13. T. N^o 4. N.R. N^o 5 W. and set apart cor. of Sec. 17 & 18. from which a

W. Oak. 10 in. diam. trees. N 56 W. 26 links west; 100
Co. 9 " " " West. 50 " "

This mile is mostly barren land; some spots of Oak timber.

T. N^o 4. N.R. N^o 4 W. 2nd Mer. Sec. 3

North 26.00	Return Sec. 7. & 8 T. N ^o 4 N.R. N ^o 4 W. Enter at the N. Boundary line of Harrison's Purchase and set a post for the cor. of sec. 7. & 8 in a thick of Pines; no timber; Thin soil;
East 80.00	On a Random line between sec. 8 & 17. T. N ^o 4. N.R. N ^o 4 W. Enter at the N. S. line at the post on the Boundary line cor. of sec. 8 & 17.
West 40.00 80.00	On the true line between sec. 8 & 17 T. N ^o 4. N.R. N ^o 4 W. Set a post for the cor. of sec. 7 & 8. On a barren Hill no timber Set the post cor. of sec. 7. & 8. 17 & 18 This mile is barren land; no timber thin soil; Surveyed by Nathaniel Bent, Esq.
North 28.77 40.00 79.80 80.00	East Boundary On the East Boundary of Sec. 36. T. 4. N.R. 4 W. To a B. Oak 18 in diam. in the line Set a 7 th sec post from which a Poplar 10 in diam. bears S 8 E. 49 links dist; and a B. Oak 10 " " " N 29 W 74 " " Entered the East & West line 108 links East of the timber post and set a post for the cor of sec. 30 & 31 from which a Sugar 12 in diam. bears S 23 W 42 p the S & a Do. 16 " " " N 77 E 31 " Set a post for the cor of sec. 25 & 36 from which a Buck 4 in diam. bears S 50 W. 4 links dist; & a Do 4 " " " N 44 E 13 " Muddling soil of hill land Timber Oak Buck, Sugar grain;

T. N. 4 N. R. N. 4 W. 2nd Mer. Sud.

- North On the East Boundary of Sec. 25 T. 4 N. R. 4 W.
40.00 Set a 7th support from which
Logwood 4 in. dia. beam N 72 E 44 links dist; 1 a,
Lo. 4 " " " N 82 E 42 " "
44.44 To a Hickory 14 in. dia. stand in line.
63.00 " " Buck 10 links mid., Course E.
68.10 " " Buck 14 in. dia. stands in line
79.67 Interrupted the E & W. line 80 links East of the temp
post and set a post for the cor. of Sec. 19 & 30 from
which, Hickory 14 in. dia. beam N 29 W. 40 links dist;
under W Oak 36 " " " S 62 E 13 " "
80.00 Set a post for the cor. of Sec. 24 & 25 from which,
Hickory 14 in. dia. beam, N 81 W. 11 links dist; 1 a,
W Oak 16 " " " S 41 E 31 " "
Sandy hill; soil muddling; Timber Oak, Hickory
Buck &c.

-
- North On the East Boundary of Sec. 24. T. 4 N. R. 4 W.
40.00 Set a 7th support from which,
Buck 16 in. dia. beam, S 48 W. 50 links dist; 1 a,
Lo. 14 " " " N 42 E 18 " "
51.13 Interrupted the N Boundary of Harrison's pur-
chase and set a post for the cor. of Sec. 24. T. 4 N.
R. 4 W from which
W Oak 10 in. dia. beam N 77 W 28 links dist; 1 a,
Lo. 18 " " " S 79 E 53 " "
Land is made up of steep hills; Thin soil
Timber Oak, Buck & Hickory The above post
stands 88 links East of the Random post

West Boundary

-
- North On the East Boundary of Sec. 36. T. 4 N. R. 5 W.
13.60 To a Run 2 links mid., Course W.

T. N. H. R. N. 4 2nd New Ind.

19.80	To the Bed of a Run. Course N.
40.00	Set a 7 th sec. post from which a Hickory 12 in. dia: bears S 26 N. 7 links due by S, Lo. 11 " " " N 64 E. 34 " "
	Land Broken; Limbs Oak & Hickory &
80.00	Set a post for the cor. of Sec. 25 & 36 from which a Hickory 12 in. dia: bears N 4 E. 40 links due by S, W Oak 18 " " " S 38 N. 100 " "
	Land broken barren; Limbs Oak & Hickory &
North	On the East Boundary of Sec. 25 T. 4 N. R. 5 W
40.00	Set a 7 th sec. post from which a W Oak 20 in. dia: bears S 58 N. 18 links due by S, Lo. 18 " " " S 72 E. 36 " "
72.50	To a W Oak 18 in. dia: in line
79.60	To the bed of a Run 2 links wide, Course S. E.
80.00	Set a post for the corner of Sec. 24 & 25 from which a W Oak 20 in. dia: bears N 72 N. 56 links due by S a Lo. 15 " " " S 41 E. 39 " "
	Land Broken Limbs Oak, Hickory & some aspen in last 7 miles.
North	On the East Boundary of Sec. 24 T. 4 N. R. 5 W
20.50	To the bed of a Run. Course E.
40.00	Set a 7 th sec. post from which a W Oak 18 in. dia: bears S 24 E. 60 links due by S, Lo. 18 " " " N 27 N. 40 " "
80.00	Set a post for the cor. of Sec. 13 & 24 from which a W Oak 6 in. dia: bears N 62 N. 65 links due by S, Lo. 4 " " " N 84 N. 29 " "
	Land N th 7 mile Broken Oak. land; 2 nd 7 th timber and full of weeds grape vines; Bushes to be mostly possible to pass through it.

T. No. 4 N.R. No. 4 W. 2nd Mer. Ind.

North On the East Boundary of Sec. 13 T. 4 N. R. 5 W.
 36.70 To a Run 4 links wide, Corner E.
 40.00 Set a ^{1/4} sup post from which a
 White Oak 7 in. diam: bears N 48 W. 16 lks. dist; & a
 B. Jack 5 " " " S 84 E. 125 " "
 80.00 Set a post for the cor of sec. 12 & 13 from which a
 W. Oak 8 in. diam: bears N 24 W. 107 links dist; & a
 Do. 12 " " " N 66 W. 65 " "
 Sound bad barrens: few trees: almost impossible

North On the East Boundary of Sec. 12 T. 4 N. R. 5 W.
 20.50 To a Run 8 links wide, Corner E.
 30.60 " " No. 4 " " " E.
 37.70 Intersect the N. Boundary of Harris' old purchase
 in Freeman's line. Sound barrens.

T. N^o 4. N. R. N^o 47. 2nd Mer. Ind.

East Boundary

I 40.

North On the East Boundary of Sec. 24, T. N^o 4. N. R. N^o 47.
From the N. Boundary of Harris's Purchase

40.00 To the Old $\frac{1}{4}$ Sec. Cor.

80.00 Set a post for the cor. of Sec. 13 & 24 from which a
Poplar 10 in. diam. bears S 45 E. 8 links dash; 10

Aspen 10 " " N 27 W. 14 " "

Grass hills, under timber

North On the East Boundary of Sec. 13, T. N^o 4. N. R. N^o 47.

40.00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a

Logwood 10 in. diam. bears S 8 E. 26 links dash; 10

Lo. 8 " " " N 87 W. 9 " "

80.00 Set a post for the cor. of Sec. 12 & 13, T. N^o 4. N. R. N^o 47 from
which a Pine 10 in. diam. bears N 52 W. 28 links dash; 10

under a Lo 30 " " North 28 " "

Grass soil under timber same as last mile.

North On the East Boundary of Sec. 10, T. N^o 4. N. R. N^o 47.

8.50 To N. Oak, 12 in. diam. stands in the line.

40.00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a

N. Oak 10 in. diam. bears S 36 E. 31 links dash; 10

Logwood 8 " " " N 36 W. 24 " "

80.00 Set a post for the cor. of Sec. 1 & 10 from which a

Logwood 6 in. diam. bears S 3 E. 17 links dash; 10

Grass soil under timber same as last mile.

North On the East Boundary of Sec. 1, T. N^o 4. N. R. N^o 47.

17.50 To N. Oak, 12 in. diam. stands in the line.

40.00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a

Logwood 7 in. diam. bears S 25 E. 9 links dash; 10

N. Oak 10 " " " N 69 W. 12 " "

80.00 Set a post for the cor. of T. N^o 4. & 5.5 N. R. N^o 3 & 4 W.

T. N. 4. N. R. N. 47. 2nd Mer. Lind.

West	On a Random line On the South Boundary of Sec. 32, T. N. 5 N. R. N. 47.
40.00	Set a timber post for the cor. of $\frac{1}{4}$ Sec.
80.00	" " " " " " " " Sec. 31 & 32, Lands sold to James a last mile.
West	On a Random line On the S. Boundary of Sec. 31.
40.00	Set a timber post for the cor. of $\frac{1}{4}$ Sec.
73.10	Intersect the N. & S. Range line S. of the Sec. cor. for T. N. 4. 4. & 5. 5. N. N. 4 & 5 N. Lands bushy and thin soil; Timber same.
East	On a Random line On the S. Boundary of Sec. 31. T. N. 5 N. R. N. 47.
33.10	Set the timber post on the true line for the cor. of $\frac{1}{4}$ Sec. from which Gum. 10 in diam. bears N 45 E 8 links each; 10 and a Hickory 7, " " S 12 E 8 " "
73.10	Set a post for the cor. of Sec. 31 & 32 from which a W. Oak 10 in diam. bears S 80 E 17 links each; 10 do 20 " " " S 30 E 28 " " Lands sold under timber same as last mile.
East	On the South Boundary of Sec. 32. True line. T. N. 5 N. R. N. 47.
40.00	Set a post for the cor. of $\frac{1}{4}$ Sec. from which a W. Oak - 10 in diam. bears South 1. links each;
80.00	Set a post for the cor. of Sec. 32 & 33 from which a Poplar 10 in diam. bears N 84 E 24 links each; 10 Hickory 3, " " S 37 E 3 " "
East	On the true line On the South Boundary of Sec. 33. T. N. 5 N. R. N. 47.
40.00	Set a post for the cor. of $\frac{1}{4}$ Sec. from which a

T. No. 4. N.R. No. 47. 2nd Mer. Sec. 4.

Sum. 20 in dist. trees. N 48 E. 27 links mesh; 1st
 W. Oak. 20 " " S 38 E. 8 " "
 80.00 Set apart for the cor. of sec. 33 & 34 from which
 W. Oak. 20 in dist. trees. N 85 E. 26 links mesh; 1st
 Hick. 10 " " N 21 E. 5 " "

East On the true line On the S. Boundary of sec. 34.
 T. No. 5 N.R. No. 47.

40.00 Set apart for the cor. of $\frac{1}{4}$ sec. on the true line from which
 Hick. 12 in dist. trees. N 61 E. 22 links mesh; 1st
 Sum. 6 " " " S 57 E. 36 " "

80.00 Set apart for the cor. of sec. 34 & 35 from which
 W. Oak. 12 in dist. trees. N 70 E. 25 links mesh; 1st
 Hick. 10 " " " S 71 E. 11 " "

East On a Random line On the South Boundary of sec. 35
 T. No. 5 N.R. No. 47.

40.00 Set apart for the cor. of the cor. of $\frac{1}{4}$ sec. On the true line from
 which a Forest 12 in dist. trees. S 18 E. 17 links mesh; 1st
 Hick. 12 " " " S 89 E. 49 " "

80.00 Set apart for the cor. of sec. 35 & 36. From which
 W. Oak. 9 in dist. trees. N 74 E. 14 links mesh; 1st
 Hick. 8 " " " S 81 E. 17 " "

East On the true line On the South Boundary of sec. 36.
 T. No. 5 N.R. No. 47.

40.00 Set the temporary part on the true line for the cor. of $\frac{1}{4}$ sec. from
 which a W. Oak. 20 in dist. trees. S 45 E. 8 links mesh; 1st
 and a Dogwood 7 " " " N 29 E. 18 " "

80.00 Set the part cor. of T. 4. 4. & 5. 5. N.R. 3 & 4 N.

West Boundary

North On the East Boundary of sec. 12. T. No. 4 N.R. No. 5 N.

T. N^o 4. N.R. N^o 4 W. 2nd Mer. Ind.

- From the cor. of sec. 12/13. T. N^o 4. N.R. N^o 5 W.
 40.00 Set a post for the cor. of 74 sec. in barrens
 74.00 To a Brook 10 links mid, Comes S.E.
 80.00 Set a post for the cor. of sec. 1 & 10 from which a
 W. Oak. 9 in diam. bears N 39 E. 50 links out; 1 in
 - Do. 12 " " S 73 W. 42 " "
 Land broken and brushy.

- North On the East Boundary of sec. 1 T. N^o 4. N.R. N^o 5 W.
 10.00 To a Brook 8 links mid, Comes S.W.
 40.00 Set a post for the cor. of 74 sec. from which a
 W. Oak. 10 in diam. bears S 79 W. 46 links out; 1 in
 Do. Do. Do. " " North 34 " "
 69.40 Set a post for the cor. of Towns 4 & 5 N.R. N^o 4 & 5 W.
 from which W. Oak. 20 in diam. bears N 67 W. 64 links out
 and as Do. 10 " " S 61 E. 67 " "
 Land broken timber Oak & Hickory.

Subdivisions

- South Return sec. 1 & 2 T. N^o 4. N.R. N^o 4 W.
 40.00 Set a post for the cor. of 74 sec. from which a
 80.00 Set a post for the cor. of sec. 1, 2, 11 & 12 from which a
 P. plan. 20 in diam. bears S 80 W. 10 links out; 1 in
 Gum. 10 " " S 74 E. 8 " "
 Land very hilly and thin soil; very brushy timber
 Oak & Hickory.

- East On a random line between Sec. 1 & 12 T. N^o 4. N.R. N^o 4 W.
 40.00 Set a temporary post for the cor. of 74 sec.
 80.62 Take cut the N.W. line or East Boundary. 150 links
 N. of the post cor. of sec. 1 & 12
 Land level and timber same as last mile.

T. N^o 4. N.R. N^o 477. 2nd Mer. Sud²

West 40.31	On the true line between Sud. 1212 T. N ^o 4. N.R. N ^o 477. Get the temp st post at the avr. dist on the true line for the cor. of 74 su. from which a W. Oak 18 in diam. bears S 21 E. 33 links dist; or do. — " " S 85 E. 97 " "
80.02	To the post cor. of sud. 12. 11. 12
South 40.00	Return Sud. 11. 12. T. N ^o 4. N.R. N ^o 477. Get a post for the cor. of 74 su. of
80.00	" " " " " " Sud. 11. 12. 13 & 14 from which a Log made 3 in diam. bears N 27 W. 10 links dist; Sunds is same as last mile.
East 40.00	On a Random line between Sud. 12. & 13. T. N ^o 4. N.R. N ^o 477. Get a temp st post for the cor. of 74 su.
81.00	Intersect the N & S line 20 links N. of the post cor. of sud. 12 & 13. Sunds is for. same as last mile.
West 40.50	On the true line between Sud. 12 & 13. T. N ^o 4. N.R. N ^o 477. Get the temp st post at the avr. dist on the true line for the cor. of 74 su. from which a Beck 18 in diam. bears N 40 E. 4 links dist; or do. 12 " " S 54 E. 37 " "
81.00	To the post cor. of sud. 11. 12. 13 & 14
South 40.00	Return Sud. 13 & 14 T. N ^o 4. N.R. N ^o 477. Get a post for the cor. of 74 su. from which a Poplar 8 in diam. bears N 25 E. 3 links dist; or do. 8 " " S 16 W. 19 " "
65.00	To a Brook 10 links wide, comes N.
80.00	Get a post for the cor. of sud. 13 14 23 & 24 from which a Oak 10 in diam. bears N 16 E. 26 links dist; & a

357

T. N. 4. N. R. N. 4 5th. 2nd Mer. Sec. 9

Run 8 in feet. trees. S 64 E. 15. miles west;
 Some some as last mile.

East On a Random line between Sec. 13 & 24 T. N. 4. N. R. N. 4 5th.
 40.00 Set a post (temporary) for the cor. of 74 sec.
 80.65 Enter cut the N & S line 75 miles North of the post
 cor. of Sec. 13 & 24
 Some post under timber some as last mile.

South Between Sec. 23 & 24 T. N. 4. N. R. N. 4 5th.
 2.75 Set a post on the N. Boundary of Harris as Purchaser
 for the cor. of Sec. 23 & 24 from which
 W. Oak. 12 in. diam. trees S 65 E. 16 miles west; 1st
 18 " " " N 19 E. 19 " "

West Between Sec. 14 & 23. T. N. 4. N. R. N. 4 5th.
 7.61 Set a post on the N. Boundary of Harris as Purchaser
 for the cor. of Sec. 14 & 23. from which
 W. Oak. 20 in. diam. trees S 70 W. 11 miles west;

South Between Sec. 2 & 3. T. N. 4. N. R. N. 4 5th.
 21.00 Top Brook. 40 miles wide, corner S. W.
 40.00 Set a post for the cor. of 74 sec. from which
 Run. 12 in. diam. trees N 28 E. 26 miles west; 1st
 80.00 Set a post for the cor. of Sec. 2, 3, 10 & 11. from which
 Run. 20 in. diam. trees N 5 W. 54 miles west; 1st
 Hick 10 " " " S 60 E. 11 " "
 Some soil under timber some as last mile.

East On a Random line between Sec. 2 & 11. T. N. 4. N. R. N. 4 5th.
 40.00 Set a temporary post for the cor. of 74 sec.
 80.75 Enter cut the N & S line at the post cor. of Sec. 1, 2, 11 & 12

T. N. 4. N.R. N. 4 W. 2nd. Mer. Ind.?

Sands soil and timber same as last mile.

West On the true line between Sec. 2 & 11. T. N. 4. N.R. N. 4 W.
40.30^{1/2} Set the temp. post at the av. dist. in the true line
for the cor. of 1/4 sec. from which
W. Clark 12 mi. av. dist. N 35 E. 32 miles north; 10
Hogwade 5 " " S 80 E. 17 " "
80.75 To the post cor. of Sec. 2, 3, 10 & 11.
See end of Township for line between Sec. 10 & 11

South Between Sec. 3 & 4. T. N. 4. N.R. N. 4 W.
5.00 Top Brook. 12 miles mid. corner S. E.
40.00 Set a post for the cor. of 1/4 sec. from which
W. Clark. 12 mi. av. dist. N 16 E. 42 miles north; 10
W. Clark. 12 " " " N 84 W. 15 " "
80.00 Set a post for the cor. of Sec. 3, 4, 9 & 10. from which
Cherry 36 mi. av. dist. N 39 E. 22 miles north; 10
Hogwade 6 " " " S 79 W. 13 " "
Sands soil & timber same as last mile.

East On a Random line between Sec. 3 & 10 T. N. 4. N.R. N. 4 W.
9.00 Top Brook. 50 miles mid. corner S.
40.00 Set a temp. post for the cor. of 1/4 sec.
80.18 Intersect the N. & S. line at the post cor. of Sec. 2, 3, 10 & 11
Sands soil and timber same as last mile

West On the true line between Sec. 3 & 10. T. N. 4. N.R. N. 4 W.
40.09 Set the temp. post at the av. dist. in the true line for
the cor. of 1/4 sec. from which
Canyon. 10 mi. av. dist. S 10 W. 18 miles north; 10
Top Brook. 8 " " " S 44 W. 4 " "
80.18 To the post cor. of Sec. 3, 4, 9 & 10.

South Between Sec. 9 & 10 T. N. 4. N.R. N. 4 W.

T^N 4. N^R 4. N. 2nd Mer. (Ind 3)

5.00 Toa Brook. 10 miles mile, Corner S.E.
 4.00 Set a post for the cor. of 74 ac. from which a
 W. Oak 6 in. diam. bears. N 29 W. 39 links dist; 1/2
 Ho. 12 " " S 84 E. 18 " "
 Same soil and timber same as last mile.

East On a random line between Sec. 10 & 15 T^N 4. N^R 4 W.
 11.50 Toa Brook. 50 miles mile, Corner S W
 4.00 Set a temporary post for the cor. of 74 ac.
 8.60 Intersect the N & S line 30 miles S. of the first cor. of Sec.
 10. 11. 14 & 15
 Same soil and timber same as last mile.

West On the true line between Sec. 10 & 15. T^N 4. N^R 4 W.
 40.30 Set the temporary post at the corr. dist on the true line for
 the cor. of 74 ac. from which
 Birch. 18 in. diam. bears. S 78 W. 22 links dist; 1/2
 Ho. 16 " " S 40 W. 38 " "
 80.00 To the first cor. of Sec. 9. 10. 15 & 16.

South Between Sec. 14 & 15 T^N 4. N^R 4 W.
 4.00 Set a post for the cor. of 74 ac. from which
 W. Oak 24 in. diam. bears. N 87 E. 43 links dist; 1/2
 W. Oak 20 " " S 66 W. 28 " "
 57.68 Set a post on the N Boundary line of Harris's Purchase
 for the cor. of Sec. 14 & 15. from which
 W. Oak 20 in. diam. bears. N 84 E. 20 links dist; 1/2
 Ho. 24 " " N 18 E. 28 " "
 Same soil and timber same as last mile.

South Between Sec. 15 & 16. T^N 4. N^R 4 W.
 17.00 Toa Brook. 50 miles mile, Corner S W
 28.88 Set a post on the N Boundary of Harris's Purchase

T. N. 4. N. R. N. 4 W. 2nd Mer. Ind.

for the cor. of sec. 15 & 16. from which
W Oak. 20 in diam. trees N 84 E. 20 links mesh; 12
L. 124 " " N 18 E. 28 " "
Lands look under timber same as last mile.

South Between Sec. 4 & 5 T. N. 4. N. R. N. 4 W.

40.00 Set a post for the cor. of 14 sec.

80.00 Set a post for the cor. of sec. 4, 5, 8 & 9 from which
W Oak. 20 in diam. trees South 57 links mesh; 12
W Oak. 12 " " N 74 E. 5 " "
Lands look under timber same as last mile.

East On a Remann line between Sec. 4 & 9 T. N. 4. N. R. N. 4 W.

40.00 Set a tripit post for the cor. of 14 sec.

76.00 To a Brook 12 links wide comes S.E.

80.40 In part the N 18 line at the post cor. of sec. 3, 4, 9 & 10
Lands look same as last mile.

West On the true line between Sec. 4 & 9 T. N. 4. N. R. N. 4 W.

40.20 Set the tripit post at the cor. mesh on the true for the
cor. of 14 sec. from which

W Oak. 12 in diam. trees. N 70 W. 15 links mesh; 12

L. 18 " " S 5 E. 36 " "

80.40 To the post cor. of sec. 4, 5, 8 & 9.

South Between Sec. 8 & 9 T. N. 4. N. R. N. 4 W.

40.00 To a B. Oak. 18 in diam. which stands for the cor. of 14 sec.

80.00 Set a post for the cor. of sec. 8, 9, 16 & 17 from which

W Oak. 20 in diam. trees. N 49 E. 9 links mesh; 12

L. 18 " " S 25 E. 10 " "

Lands look under timber same as last mile.

East On a Remann line between Sec. 9 & 16. T. N. 4. N. R. N. 4 W.

T. N. 4 N. R. N. 4 W. 2nd Mer. Sec. 9

361

40.00	Set a temporary post for the cor. of 7/4 sec.
80.30	Enter cut the N & S line 20 rods N. of the post cor. of sec. 9. 10. 15 & 16 Land soil can be timber same as last sec.
West 40.15	On the true line between sec. 9 & 16 T. N. 4 N. R. N. 4 W. Set the temporary post at the av. mark on the true line for the cor. of 7/4 sec. from which W. Oak. 18 in. diam. bears. West 970 rods due S; 80.30 To the post cor. of sec. 8. 9. 16 & 17.
South 3.20	Between sec. 16 & 17 T. N. 4 N. R. N. 4 W. Set a post on the N. boundary line of Harris' and Purches for the cor. of sec. 16 & 17. from which W. Oak. 14 in. diam. bears. S 87.33 rods due S;
West 8.00	On the true line between sec. 8 & 17 T. N. 4 N. R. N. 4 W. Set a post on the N. boundary of Harris' and Purches for the cor. of sec. 8 & 17. from which W. Oak. 18 in. diam. bears. S 41 E. 20 rods due S; 149 W. Oak. 8 " " " " 149 E. 20 " "
South 40.00 80.00	Between sec. 5 & 6. T. N. 4 N. R. N. 4 W. Set a post for the cor. of 7/4 sec. Set a post for the cor. of sec. 5. 6. 7 & 8. Land is hilly and very brushy.
East 40.00 80.20	On a true line between sec. 5 & 8 T. N. 4 N. R. N. 4 W. Set a temporary post for the cor. of 7/4 sec. Enter cut the N & S line at the post cor. of sec. 4. 5. 8 & 9. Land very brushy;
South	Between sec. 7 & 8 T. N. 4 N. R. N. 4 W.

T. N^o 4. N. R. N^o 4 W. 2nd Mer. Ind^y

40.00 Set a post for the cor. of T⁴ Sec in a thick
58.00 Set a post on the N. Corner of Harrison's Purchase
for the cor. of Sec. 7 & 8.
Land as per and timber same as last mile.

West. Return Sec. 6 & 7. T. N^o 4. N. R. N^o 4 W.

40.00 Set a post for the cor. of T⁴ Sec.
7 & 8. 20 Set a post on the West Corner
Land as per and timber same as last mile.

Surveyed by

Arthur Hennis. L.S.

I certify that the foregoing transcript of the field
notes, of Township N^o 4 North, of Range N^o 4 West
of the 2nd Principal Meridian, in Indiana, has
been compared with the Original notes in this Office
and found to be correct.

Surveyor General's Office

Cincinnati Dec. 30. 1840

E. S. Haines
Sur. Genl.

South Return Sec 10 & 11 T. 4 N. R. 4 W

40.00 Set a post for the cor. in a brushy thicket; no timber nigh
63.00 To a Brook 18 miles nigh, Course N.
80.00 Set a post for the cor. of Sec. 10. 11. 14 & 15 from which
Buck 20 in. dia. beam. S 46 E 35 miles dist; & a
Sugar 12 " " N 46 W 22 " "
Land hilly; thin soil Timber Oak & Hickory

East on Range between Sec. 11 & 14

40.00 Set temp. of Sec. post
80.10 Intersected the N. & S. line at post - Land the same

West Corrected between Sec. 11 & 14

40.05 Set of Sec. post at average dist. from which a B. Oak 20
S 85 E 25 lks. dist. & a Sugar 12 515 E 27 lks. distant